

OPTION-A

Paper : MAT-HG-3016 / MAT-RC-3016

(Differential Equation)

Answer either in English or in Assamese.

1. Answer the following questions : $1 \times 10 = 10$

তলত দিয়া প্ৰশ্নবোৰ উত্তৰ দিয়া :

(a) Define order and degree of an ordinary differential equation.

সাধাৰণ অৱকল সমীকৰণৰ ক্ৰম আৰু ঘাতৰ সংজ্ঞা লিখা।

(b) What do you mean by an ordinary differential equation? Give one example.

সাধাৰণ অৱকল সমীকৰণ বুলিলে কি বুজা? এটা উদাহৰণ দিয়া।

(c) Define exact differential equation.

যথাৰ্থ অৱকল সমীকৰণৰ সংজ্ঞা লিখা।

(d) Obtain the differential equation of family of parabolas given by $y^2 = 4ax$.

$y^2 = 4ax$ অধিবৃত্তৰ পৰিয়ালটোৰ অৱকল সমীকৰণটো গঠন কৰা।

3 (Sem-3/CBSC) MAT HG 1/2/RC/G 2

(e) Write the condition of exactness of an ordinary differential equation.

এটা সাধাৰণ অৱকল সমীকৰণৰ যথাৰ্থতাৰ চৰ্ত লিখা।

(f) Find the integrating factor of

$$\frac{dy}{dx} + \frac{y}{x} = \cos x.$$

$\frac{dy}{dx} + \frac{y}{x} = \cos x$, ৰ অনুকলন গুণক নিৰ্ণয় কৰা।

(g) Define orthogonal trajectory of a family of curve.

এটা বক্ৰ পৰিয়ালৰ লাম্বিক প্ৰক্ষেপণৰ সংজ্ঞা লিখা।

(h) Write the complementary function of

$$(D^2 + 4)y = x^2.$$

$(D^2 + 4)y = x^2$ অৱকল সমীকৰণটোৰ পৰিপূৰক ফলনটো লিখা।

(i) Write the general form of a linear differential equation of n^{th} order.

এটা n মাত্ৰাৰ বৈধিক অৱকল সমীকৰণৰ সাধাৰণ ৰূপটো লিখা।

3 (Sem-3/CBSC) MAT HG 1/2/RC/G 3

Contd.

(i) If $y_1 = \sin 2x$ and $y_2 = \cos 2x$, then find the Wronskian of $y_1(x)$ and $y_2(x)$.

যদি $y_1 = \sin 2x$ আৰু $y_2 = \cos 2x$, তেন্তে $y_1(x)$ আৰু $y_2(x)$ ৰ Wronskian নিৰ্ণয় কৰা।

2. Answer the following questions : $2 \times 5 = 10$

তলত দিয়া প্ৰশ্নবোৰ উত্তৰ দিয়া :

(a) Determine the particular integral of the differential equation

$$\frac{d^2y}{dx^2} + \frac{dy}{dx} + 1 = \sin 2x.$$

$\frac{d^2y}{dx^2} + \frac{dy}{dx} + 1 = \sin 2x$ অৱকল সমীকৰণটোৰ বিশেষ অনুকলন নিৰ্ণয় কৰা।

(b) Derive the orthogonal trajectory of $xy = a^2$.

$xy = a^2$, ৰ লাম্বিক প্ৰক্ষেপণ নিৰ্ণয় কৰা।

3 (Sem-3/CBSC) MAT HG 1/2/RC/G 4

(c) Find the integrating factor of the differential equation

$$(x^2y - 2xy^2) dx - (x^3 - 3x^2y) dy = 0$$

$$(x^2y - 2xy^2) dx - (x^3 - 3x^2y) dy = 0$$

অৱকল সমীকৰণটোৰ অনুকলন গুণক নিৰ্ণয় কৰা।

(d) Solve : $\frac{dx}{y^2} = \frac{dy}{x^2} = \frac{dz}{x^2y^2z^2}$

সমাধান কৰা : $\frac{dx}{y^2} = \frac{dy}{x^2} = \frac{dz}{x^2y^2z^2}$

(e) Solve : $\frac{d^2y}{dx^2} + 4\frac{dy}{dx} + 13y = 0$

সমাধান কৰা : $\frac{d^2y}{dx^2} + 4\frac{dy}{dx} + 13y = 0$

3. Answer the following : (any four) $5 \times 4 = 20$

তলত দিয়া প্ৰশ্নবোৰ উত্তৰ দিয়া : (যিকোনো চাৰিটা)

(a) Solve : $x^2 \frac{d^2y}{dx^2} - 3x \frac{dy}{dx} + 4y = 2x^2$

সমাধান কৰা : $x^2 \frac{d^2y}{dx^2} - 3x \frac{dy}{dx} + 4y = 2x^2$

3 (Sem-3/CBSC) MAT HG 1/2/RC/G 5

Contd.

(b) Find the orthogonal trajectories of the series of hypocycloid $x^{2/3} + y^{2/3} = a^{2/3}$.

$x^{2/3} + y^{2/3} = a^{2/3}$, পৰিমাণটোৰ লাম্বিক গ্ৰন্থপথ নিৰ্ণয় কৰা।

(c) Solve the simultaneous linear differential equations $\frac{dx}{dt} = -px$ and

$\frac{dy}{dt} = px$ and show that the point (x, y) lies on a circle.

$\frac{dx}{dt} = -px$ আৰু $\frac{dy}{dt} = px$; অৱকল সমীকৰণটো সমাধান কৰা আৰু দেখুওৱা যে (x, y) বিন্দুটো এটা বৃত্তত থাকিব।

(d) Solve by reducing to exact differential equation

$$xydx + (2x^2 + 3y^2 - 20)dy = 0$$

$xydx + (2x^2 + 3y^2 - 20)dy = 0$ সমীকৰণক যথার্থ অৱকল সমীকৰণলৈ সমানীত কৰি সমাধান কৰা।

(e) Solve the Bernoulli's equation :

$$x \frac{dy}{dx} + y = y^2 \log x$$

বান্ধনীৰ সমীকৰণটো সমাধান কৰা।

$$x \frac{dy}{dx} + y = y^2 \log x$$

(f) Solve $x^2 \frac{d^2y}{dx^2} - 3x \frac{dy}{dx} + 4y = 0$, given

that $y = x^2$ is one of the solution.

$$x^2 \frac{d^2y}{dx^2} - 3x \frac{dy}{dx} + 4y = 0$$

অৱকল সমীকৰণটো

সমাধান কৰা, য'ত সমীকৰণটোৰ এটা সমাধান $y = x^2$.

4. Answer the following: (any four) $10 \times 4 = 40$

তলত দিয়া প্ৰশ্নবোৰৰ উত্তৰ দিয়া: (যিকোনো চাৰিটা)

(a) Solve by the method of variation of

$$\text{parameter: } \frac{d^2y}{dx^2} - y = \frac{2}{1+e^x}$$

পাৰামিটাৰ পদ্ধতিৰে সমাধান কৰা:

$$\frac{d^2y}{dx^2} - y = \frac{2}{1+e^x}$$

(b) Solve : $\frac{d^4y}{dx^4} - y = x \sin x$

সমাধান কৰা: $\frac{d^4y}{dx^4} - y = x \sin x$

(c) Solve : $\frac{dx}{dt} + 2x + y = 0$

$$\frac{dy}{dt} + 5x + 3y = 0$$

সমাধান কৰা: $\frac{dx}{dt} + 2x + y = 0$

$$\frac{dy}{dt} + 5x + 3y = 0$$

(d) Solve the exact differential equation:

$$x^2 \frac{d^2y}{dx^2} + 3x \frac{dy}{dx} + y = \frac{1}{(1-x)^2}$$

যথার্থ অৱকল সমীকৰণটো সমাধান কৰা:

$$x^2 \frac{d^2y}{dx^2} + 3x \frac{dy}{dx} + y = \frac{1}{(1-x)^2}$$

(e) Solve by reducing to normal form

$$\frac{d^2y}{dx^2} - 4x \frac{dy}{dx} + (4x^2 - 1)y = -3e^{x^2} \sin 2x$$

নৰ্মেল ৰূপলৈ সমানীত কৰি সমাধান কৰা:

$$\frac{d^2y}{dx^2} - 4x \frac{dy}{dx} + (4x^2 - 1)y = -3e^{x^2} \sin 2x$$

(f) Show that the term $\frac{1}{x(x^2 - y^2)}$ is an

integrating factor of the differential equation $(x^2 + y^2)dx - 2xy dy = 0$ and hence solve it.

দেখুওৱা যে $(x^2 + y^2)dx - 2xy dy = 0$

সমীকৰণৰ এটা অনুকলন গুণক $\frac{1}{x(x^2 - y^2)}$ আৰু

সমাধান কৰা।

(g) Solve the equation, $4y = x^2 + p^2$, where

$$p = \frac{dy}{dx}$$

সমাধান করা : $4y = x^2 + p^2$, যত $p = \frac{dy}{dx}$

(h) Discuss the method of solving a Bernoulli's equation of the form

$\frac{dy}{dx} + Py = Qy^n$; where P and Q are constants as function of x .

এটা $\frac{dy}{dx} + Py = Qy^n$ রূপের বাসেলীভ সমীকরণ

সমাধান করার পদ্ধতি আলোচনা করা, যত P আক Q হৈছে ধ্রুবক বা x ব ফলন।

3 (Sem-3/CBCS) MAT HG 1/2/RC/G 10

3 (Sem-3/CBCS) MAT HG 1/2/RC/G 11

Contd.

OPTION-B

Paper : MAT-HG-3026

(Linear Programming)

1. Answer the following questions : (Choose the correct answer) $1 \times 10 = 10$

(a) A basic feasible solution whose variables are

- (i) degenerate
- (ii) non-degenerate
- (iii) non-negative
- (iv) None of the above

(b) The inequality constraints of an LPP can be converted into equation by introducing

- (i) negative variables
- (ii) non-degenerate B.F.
- (iii) slack and surplus variables
- (iv) None of the above



(c) A solution of an LPP, which optimize the objective function is called

- (i) basic solution
- (ii) basic feasible solution
- (iii) optimal solution
- (iv) None of the above

(d) Given a system of m simultaneous linear equations in n unknowns ($m < n$) the number of basic variables will be

- (i) m
- (ii) n
- (iii) $n - m$
- (iv) $n + m$

(e) A simplex in n -dimension is a convex polyhedron having

- (i) $n - 1$ vertices
- (ii) n vertices
- (iii) $n + 1$ vertices
- (iv) None of the above

3 (Sem-3/CBCS) MAT HG 1/2/RC/G 12

(f) At any iteration of the usual simplex method, if there is at least one basic variable in the basis at zero level and all $z_j - c_j \geq 0$ the current solution is

- (i) infeasible
- (ii) unbounded
- (iii) non-degenerate
- (iv) degenerate

(z_j, c_j having usual meaning)
(g) Let $X = \{x_1, x_2\} \subset \mathbb{R}^2$. Then the convex hull $C(X)$ of X is

- (i) $\{\lambda x_1 + (1 - \lambda) x_2 : \lambda \geq 1\}$
- (ii) $\{\lambda x_1 + (1 - \lambda) x_2 : \lambda \leq 0\}$
- (iii) $\{\lambda x_1 + (1 - \lambda) x_2 : 0 < \lambda < 1\}$
- (iv) None of the above

(h) For given linear programming problem, if z is an objective function

- (i) Max $z = -$ Min z
- (ii) Max $z =$ Min $(-z)$
- (iii) Max $(-z) =$ Max z
- (iv) None of above

3 (Sem-3/CBCS) MAT HG 1/2/RC/G 13

Contd.

(i) The set $\{(x_1, x_2) : x_1^2 + x_2^2 \leq 1\}$ is a

- (i) open set
 - (ii) closed set
 - (iii) neither open nor closed
 - (iv) open and closed both
- (j) In linear programming problem
- (i) objective function, constraints and variables are all linear
 - (ii) only objective function to be linear
 - (iii) only constraints are to be linear
 - (iv) only variables are to be linear

2. Answer the following: $2 \times 5 = 10$

- (a) A hyperplane is given by the equation $3x_1 + 2x_2 + 4x_3 + 7x_4 = 8$, find in which half space do the point $(-6, 1, 7, 2)$ lie.
- (b) Prove that $x_1 = 2, x_2 = -1$ and $x_3 = 0$ is a solution but not a basic solution to the system of equations

$$\begin{aligned} 3x_1 - 2x_2 + x_3 &= 8 \\ 9x_1 - 6x_2 + 4x_3 &= 24 \end{aligned}$$

3 (Sem-3/CBES) MAT HG 1/2/RC/G 14

(c) Write the dual of the following primal problem:

$$\text{Minimize } Z = 3x_1 + 5x_2$$

$$\text{subject to } 3x_1 + 5x_2 = 12$$

$$4x_1 + 2x_2 = 10$$

$$\text{with } x_1, x_2 \geq 0$$

(d) In a two-person Zero-sum game, the pay-off matrix is given by

		B		
		I	II	III
A	I	6	8	6
	II	4	12	2

Find its saddle points.

(e) Show that the linear function

$Z = C X, X \in \mathbb{R}^n, C \in \mathbb{R}$ is a convex function.

3 (Sem-3/CBES) MAT HG 1/2/RC/G 15 *Contd.*

3. Answer **any four** of the following : $5 \times 4 = 20$

(a) Solve graphically the following LPP :

$$\text{Max. } Z = 5x_1 + 7x_2$$

$$\text{subject to } x_1 + x_2 \leq 4$$

$$3x_1 + 8x_2 \leq 24$$

$$10x_1 + 7x_2 \leq 35$$

$$x_1, x_2 \geq 0$$

(b) Find all basic feasible solutions of the system of equations

$$x_1 + 2x_2 + 3x_3 + 4x_4 = 7$$

$$2x_1 + x_2 + x_3 + 2x_4 = 3$$

(c) Prove that the set of all convex combinations of a finite number of points $x_1, x_2, x_3, \dots, x_n$ is a convex set.

(d) Prove that the dual of a primal is a Primal problem itself.

3 (Sem-3/CBES) MAT HG 1/2/RC/G 16

(e) Solve the following transportation problem using North-West corner method whose cost matrix is given below:

Source	D ₁	D ₂	D ₃	D ₄	Supply
S ₁	7	10	14	8	30
S ₂	7	11	12	6	40
S ₃	5	8	15	9	30
Demand	20	20	25	35	

(f) The pay-off matrix of a game is given below. Find the solution of the game to A and B.

		B				
		I	II	III	IV	V
A	I	-2	0	0	5	3
	II	3	2	1	2	2
	III	-4	-3	0	-2	6
	IV	5	3	-4	2	-6

3 (Sem-3/CBES) MAT HG 1/2/RC/G 17 *Contd.*

4. Answer **any four** questions : $10 \times 4 = 40$

(a) Old hens can be bought for Rs. 2 each but young ones cost Rs. 5 each. The old hens lay 3 eggs per week and the young ones 5 eggs per week, each being worth 30 paise. A hen costs Re. 1 per week to feed. If I have only Rs. 80 to spend for hens, how many of each kind shall I buy to give a profit of more than Rs. 6 per week, assuming that I can not house more than 20 hens? Formulate the LPP and solve by graphical method.

(b) Prove that if either the primal or the dual problem of an LPP has a finite optimal solution, then the other problem also has a finite optimal solution. Furthermore, the optimal values of the objective function in both the problems are the same, i.e.

$$\text{Max } Z_x = \text{Max } Z_w$$

3 (Sem-3/CBCS) MAT HG 1/2/RC/G 18

(c) Solve the following assignment problem :
Projects

	A	B	C	D
I	12	10	10	8
II	14	Not suitable	15	11
III	6	10	16	4
IV	8	10	9	7

Engineer

(d) Use simplex method to solve the LPP
Max $Z = 4x + 10y$

subject to the constraints

$$2x + y \leq 50$$

$$2x + 5y \leq 100$$

$$2x + 3y \leq 90$$

$$x, y \geq 0$$

(e) Use the two-phase simplex method to solve Max $Z = 5x_1 - 4x_2 + 3x_3$ subject to the constraints

$$2x_1 + x_2 - 6x_3 = 20$$

$$6x_1 + 5x_2 + 10x_3 \leq 76$$

$$8x_1 - 3x_2 + 6x_3 \leq 50$$

$$x_1, x_2, x_3 \geq 0$$

3 (Sem-3/CBCS) MAT HG 1/2/RC/G 19

Contd.

(f) Solve the game whose pay-off matrix is

$$\begin{bmatrix} -1 & -2 & 8 \\ 7 & 5 & -1 \\ 6 & 0 & 12 \end{bmatrix}$$

(g) If in an assignment problem, a constant is added or subtracted to every element of a row (or column) of the cost matrix $[c_{ij}]$, then prove that an assignment which minimizes the total cost for one matrix, also minimizes the total cost for the other matrix.

(h) (i) What is game theory? 2

(ii) Describe a two-person zero-sum game. Also mention *any two* basic assumptions in it. 4

(iii) Explain the following terms

Optimal strategy, Pay-off matrix.
 $2+2=4$

3 (Sem-3/CBCS) MAT HG 1/2/RC/G 20

4000

Total number of printed pages-20

3 (Sem-3/CBCS) MAT HG 1/2/RC

2023

MATHEMATICS

(Honours Generic/Regular)

Answer the Questions from any one Option.

OPTION-A

Paper : MAT-HG-3016 /MAT-RC-3016

(Differential Equation)

OPTION-B

Paper : MAT-HG-3026

(Linear Programming)

Full Marks : 80

Time : Three hours

The figures in the margin indicate full marks for the questions.

Contd.